DEPARTMENT OF THE INTERIOR
U.S. GEOLOGICAL SURVEY



F
1

HE INTERIOR
SURVEY

80-305

147°15.00 147°00.00 146°45.00 146°30.00 146°15.00 146°00.00 145°45.00 145°30.00 145°15.00 145°00.00 144°45.00 144°30.00 144°15.00 144°00.00 143°45.00 143°30.00 143°15.00 143°00.00

60°15.00 60°00.00 59°45.00 59°30.00 59°15.00

5695 5610 5515 5350 5160 4995



AEROMAGNETIC MAP OF PART OF THE MIDDLETON ISLAND QUADRANGLE AND VICINITY, ALASKA

BY

U.S. GEOLOGICAL SURVEY

1988

EXPLANATION

COMPLETION OF SURVEY	NOVEMBER, 1984
TYPE OF MAGNETOMETER	[illegible]
AIRBASE SAMPLING RATE	10 FEET
SENSOR ELEVATION ABOVE SURFACE	500 FEET
FLIGHT DIRECTION, TRAVERSE	75, 255 DEGREES
FLIGHT SPACING, TRAVERSE	[illegible] MILE
I.G.R.F. 1985 UPDATED TO	1987.50
CONTOUR INTERVAL	10, 50, 250 GAMMAS
CONTOUR GRID INTERVAL	400 METERS SQUARE
CONSTANT ADDED TO FINAL CONTOUR MAPS	55970 GAMMAS

SCALE 1:250 000

0 5 10 15 MILES

0 5 10 15 KILOMETERS

INDEX MAP OF PART OF ALASKA
SHOWING LOCATION OF THIS STUDY AREA



AEROMAGNETIC MAP OF PART OF THE MIDDLETON ISLAND QUADRANGLE AND VICINITY, ALASKA

BY

U.S. GEOLOGICAL SURVEY

1988

EXPLANATION

COMPLETION OF SURVEY	NOVEMBER, 1987
TYPE OF MAGNETOMETER	7 CELL, TOWED QUADRATURE
AVERAGE SAMPLING RATE	152 FEET
SENSOR ELEVATION ABOVE SURFACE	500 FEET
FLIGHT DIRECTION (TRAVERSE)	170, 359 DEGREES
FLIGHT SPACING (TRAVERSE)	1 MILE
I.G.R.F. 1985 UPDATED TO	1987.62
CONTOUR INTERVAL	10, 50, 250 GAMMA
CONTOUR GRID INTERVAL	400 METERS SQUARE
CONSTANT ADDED TO FINAL CONTOUR MAPS	55970 GAMMA

SCALE 1:250 000

5 0 5 10 15 MILES

5 0 5 10 15 KILOMETERS



INDEX MAP OF PART OF ALASKA
SHOWING LOCATION OF THIS STUDY AREA